

General Disclaimer

One or more of the Following Statements may affect this Document

- This document has been reproduced from the best copy furnished by the organizational source. It is being released in the interest of making available as much information as possible.
- This document may contain data, which exceeds the sheet parameters. It was furnished in this condition by the organizational source and is the best copy available.
- This document may contain tone-on-tone or color graphs, charts and/or pictures, which have been reproduced in black and white.
- This document is paginated as submitted by the original source.
- Portions of this document are not fully legible due to the historical nature of some of the material. However, it is the best reproduction available from the original submission.

N85-30986

Unclass
21561

Annual Report for Grant No. NAGW-319
covering period from 15 May 1984 to 14 May 1985

By:

Prepared for:
National Aeronautics and Space Administration
NASA Headquarters
Washington, D. C. 20546

Endorsed by:

A circular stamp featuring a clock face with numbers 1 through 12. The text "JUL 1985" is at the top, "RECEIVED" is in the center, "NASA STI FACILITY" is below it, and "ACCESS DEPT." is at the bottom. A small star is positioned between the numbers 7 and 8.

TABLE OF CONTENTS

	<u>Page</u>
I. INTRODUCTION.....	3
II. RESEARCH ACCOMPLISHED.....	3
A. Photoabsorption Cross Section of OD.....	3
B. Photoabsorption Cross Section of CN.....	3
C. Photoabsorption and Photodissociation of HCl.....	4
D. Photoabsorption and Photodissociation of CH ₃ OH.....	5
III. PUBLICATIONS AND PRESENTATIONS RESULTING FROM THIS RESEARCH PROGRAM.....	5
VI. APPENDICES	
A: Photoabsorption Cross Section of OD at 115-180 nm	
B: Photodissociation Rates of OH, OD and CN by the Interstellar Radiation Field	
C: Quantitative Studies for Photoabsorption and Fluorescence of HCl	
D: Photoexcitation Processes of CH ₃ OH: Rydberg States and Photofragment Fluorescence	

I. INTRODUCTION

This report describes the results obtained in the period from May 15, 1984 to May 14, 1985 for the research program supported by NASA under Grant No. NAGW-319. This research program is to measure the photoabsorption and photodissociation cross sections of molecules and radicals important in the interstellar medium. These data are currently needed for understanding the formation and destruction processes of these molecules and radicals in the interstellar medium.

II. RESEARCH ACCOMPLISHED

In this research program, we have measured the photoabsorption and photodissociation cross sections of several interstellar molecules and radicals in the 105-210 nm region. The research results accomplished during this funding period are briefly described below.

A. Photoabsorption Cross Section of OD

The OD radical is very similar to the most abundant interstellar radical OH in both physical and chemical nature. The photodissociation rate of OD by the interstellar radiation field is thus interested in understanding the isotope effect of the interstellar chemistry. We have measured the photoabsorption cross sections of OD in the 115-180 nm region in the current funding period. The results are summarized in a paper published in the Journal of Chemical Physics which is attached as Appendix A.

The photoabsorption cross sections are used to calculate the

photodissociation rate of OD by the interstellar radiation field. The results are summarized in a paper published in the Astrophysical Journal that is attached as Appendix B.

B. Photoabsorption Cross Section of CN

The CN radical is quite abundant in the interstellar medium, whose destruction is mainly through the photodissociation process. We have investigated the photoabsorption of CN in the 115-200 nm region in the current funding period. The absorption cross section is so small that only an upper limit is established. The upper limit for the photodissociation of CN by the interstellar radiation field in the 115-190 nm region is $2 \times 10^{-10} \text{ s}^{-1}$. This upper limit has been used by Dr. Steven Federman at the Jet Propulsion Laboratory to confirm his analysis of field observation (private communication 1984). Our results are summarized in a paper attached as Appendix B.

C. Photoabsorption and Photodissociation of HCl

The cross sections for the photoabsorption and fluorescence of HCl have been measured in the 105-200 nm region using synchrotron radiation as a light source. The results are summarized in a paper attached as Appendix C. In the present results, we find that the absorption cross sections at the peaks of some absorption bands are quite high so that the light source intensity may be totally attenuated at the gas pressures we used. This will make the measured photoabsorption cross sections appear low. We will confirm the measurement in the next synchrotron radiation experiment.

D. Photoabsorption and Photodissociation Cross Sections of CH₃OH

The photoabsorption and fluorescence cross sections of methanol vapor were measured in the 106-198 nm region. Weak structures were observed in the 110-140 nm region and were classified into three Rydberg series. The fluorescence cross section was used to infer the photodissociation cross section of CH₃OH that is useful for calculating the photodissociation rate of CH₃OH by the interstellar radiation field. This work has been summarized in a paper attached as Appendix D, which is accepted for publication in Chemical Physics.

III. Publications and Presentations Resulting from this Research Program

The cumulative publications and presentations obtained from this research program are listed as follows.

PUBLICATIONS AND PRESENTATIONS RESULTING FROM THIS RESEARCH PROGRAM

1. L. C. Lee, "Emissions from Photofragments of HCN", presented at the 178th American Chemical Society Meeting, Washington, D. C., September 10-14, 1979.
2. L. C. Lee, " $\text{OH}(\text{A}^2\Sigma^+ \rightarrow \text{X}^2\Pi_1)$ Yield from H_2O Photodissociation in 1050-1370 Å", J. Chem. Phys. 72, 4334 (1980).
3. L. C. Lee, " $\text{CN}(\text{A}^2\Pi_1 \rightarrow \text{X}^2\Sigma^+)$ and $\text{CN}(\text{B}^2\Sigma^+ \rightarrow \text{X}^2\Sigma^+)$ Yields from HCN Photodissociation", J. Chem. Phys. 72, 6414 (1980).
4. L. C. Lee, "Photodissociation of Interstellar Molecules, H_2O and HCN", presented at the 1979 Synchrotron Radiation Users Group Meeting, Madison, Wisconsin, October 25-26, 1979.
5. L. C. Lee, " $\text{CN}(\text{A}^2\Pi_1, \text{B}^2\Sigma^+ \rightarrow \text{X}^2\Sigma^+)$ Yields from HCN Photodissociation", presented at the 14th Informal Conference on Photochemistry, Newport Beach, California, March 30 - April 3, 1980.
6. L. C. Lee, " $\text{OH}(\text{A}^2\Sigma^+ \rightarrow \text{X}^2\Pi_1)$ Yield from H_2O Photodissociation", presented at the VI International Conference on Vacuum Ultraviolet Radiation Physics, Charlottesville, Virginia, June 2-6, 1980.
7. J. A. Guest and L. C. Lee, "Photoabsorption and Photodissociation of Interstellar Molecules, NO", presented at the 1980 Annual Synchrotron Radiation Users Group Meeting, Madison, Wisconsin, October 20-21, 1980.
8. J. A. Guest and L. C. Lee, "Quantitative Absorption and Fluorescence Studies of NO Between 1060-2000 Å", J. Phys. B: Atom. Molec. Phys. 14, 3401 (1981); Also presented at the Thirty-Sixth Symposium on Molecular Spectroscopy, Ohio State University, Columbus, Ohio, June 15-19, 1981.
9. L. C. Lee and J. A. Guest, "Quantitative Absorption and Fluorescence Studies of CO from 1060-1550 Å", J. Phys. B: Atom. Molec. Phys. 14, 415 (1981).
10. L. C. Lee and C. C. Chiang, "Fluorescence Yields from Photodissociation of CH_4 ", presented at the 1981 Annual Synchrotron Radiation Users Group Meeting, Madison, Wisconsin, October 19-20, 1981.
11. L. C. Lee and C. C. Chiang, "Fluorescence Yields from Photodissociation of OCS at 1060-1240 Å", Chem. Phys. Lett. 92, 425 (1982).
12. M. Suto, R. L. Day, and L. C. Lee, "Fluorescence Yields from Photodissociation of SO_2 at 1060-1330 Å", J. Phys. B: At. Mol. Phys. 15, 4165 (1982); also presented at the International Symposium on Chemical Kinetics Related to Atmospheric Chemistry, Tsukuba, Japan, June 6-10, 1982.
13. R. L. Day, M. Suto, and L. C. Lee, "Photodissociation Yields of CS_2 at 1060-1520 Å", J. Phys. B: At. Mol. Phys. 15, 4403 (1982).
14. M. Suto, R. L. Day, and L. C. Lee, "Photodissociation Processes of SO_2 at 1060-1330 Å", presented at the XV Informal Conference on Photochemistry, Stanford, California, June 26 - July 1, 1982.

15. R. L. Day, M. Suto, and L. C. Lee, "Photodissociation Processes of CS₂ at 1060-1520 Å", presented at the XV Informal Conference on Photochemistry, Stanford, California, June 26 - July 1, 1982.
16. R. L. Day and L. C. Lee, "Photoabsorption Spectrum of OH in the Vacuum Ultraviolet Region", presented at the XV Informal Conference on Photochemistry, Stanford, California, June 26 - July 1, 1982.
17. M. Suto and L. C. Lee, "Fluorescence Yields from Photodissociation of NH₃", presented at the 15th Annual Synchrotron Radiation Users Group Meeting, Madison, Wisconsin, October 18-19, 1982.
18. L. C. Lee and M. Suto, "Photodissociation Processes of NH₃ at 106-220 nm", presented at the Fall Meeting of American Geophysical Union, San Francisco, California, December 7-15, 1982.
19. L. C. Lee and C. C. Chiang, "Fluorescence Yields from Photodissociation of CH₄ at 1060-1420 Å", J. Chem. Phys. 78, 688 (1983).
20. M. Suto and L. C. Lee, "Photodissociation of NH₃ at 106-200 nm", J. Chem. Phys. 78, 4515 (1983).
21. R. L. Day, and L. C. Lee, "Photoabsorption Spectrum of Radicals Produced by a Pulsed Discharge of Trace H₂O in Ar", Chem. Phys. 75, 17 (1983).
22. M. Suto and L. C. Lee, "Photodissociation Processes of N₂O, HNO₃, and C₂H₂", presented at the 16th Annual Synchrotron Radiation Users Group Meeting, Madison, Wisconsin, October 24-25, 1983.
23. L. C. Lee and M. Suto, "Photodissociation of C₂H₂", presented at the 1983 Fall Meeting of the American Geophysical Union, San Francisco, California, December 4-9, 1983.
24. L. C. Lee, "Photodissociation Rates of Molecules by the Interstellar Radiation Field", Astrophys. J., 282, 172 (1984).
25. M. Suto and L. C. Lee, "Quantitative Photoexcitation and Fluorescence Studies of C₂H₂ in Vacuum Ultraviolet", J. Chem. Phys., 80, 4824 (1984).
26. J. B. Nee and L. C. Lee, "Photoabsorption Cross Section of OH in Vacuum Ultraviolet", J. Chem. Phys. 81, 31 (1984).
27. J. B. Nee and L. C. Lee, "Photoabsorption Cross Section of OD at 115-180 nm", J. Chem. Phys. 81, 3811 (1984).
28. J. B. Nee, M. Suto and L. C. Lee, "Experimental Studies of the Photodissociation Processes of OH, OD, and CN" presented at the XVI Informal Conference on Photochemistry, Harvard University, Boston, August 20-24, 1984.
29. J. B. Nee, M. Suto and L. C. Lee, "Photoexcitation Processes of HCl and HBr in VUV", presented at the 1984 Synchrotron Radiation User's Meeting, Madison, Wis., Oct. 22-23, 1984.

30. J. B. Nee, M. Suto and L. C. Lee, "Photoabsorption and Photodissociation of HCl and HBr in the Vacuum Ultraviolet Wavelengths" presented at the 1984 Fall Meeting, American Geophysical Union, San Francisco, Calif., Dec. 3-7, 1984.
31. J. B. Nee and L. C. Lee, "Photodissociation Rates of OH, OD and CN by the Interstellar Radiation Field", *Astrophys. J.*, 291, 202 (1985)
32. J. B. Nee, M. Suto, and L. C. Lee, "Photodissociation Processes of Hydrogen Halides Studied with Synchrotron Radiation", to be presented at the XIV International Conference on the Physics of Electronic and Atomic Collisions, Palo Alto, CA., July 24-30, 1985.
33. J. B. Nee and L. C. Lee, "Photoabsorption Cross Sections of Interstellar Free Radicals in the Vacuum Ultraviolet Wavelengths", to be presented at the 17th International Symposium on Free Radicals, Granby, CO., Aug. 18-23, 1985
34. J. B. Nee, M. Suto and L. C. Lee, "Photoexcitation Processes of CH₃OH; Rydberg States and Photofragment Fluorescence", *Chemical Physics*, in press.